



Bid Number/बोली क्रमांक (बिड संख्या)<sup>:</sup> GEM/2024/B/5116159 Dated/दिनांक : 02-07-2024

## Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	01-08-2024 18:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	01-08-2024 18:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	65 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare	
Department Name/विभाग का नाम	Department Of Health And Family Welfare	
Organisation Name/संगठन का नाम	North Eastern Indira Gandhi Regional Institute Of Health And Medical Sciences (neigrihms)	
Office Name/कार्यालय का नाम	Neigrihms, Shillong	
Total Quantity/कुल मात्रा	1	
ltem Category/मद केटेगरी	Echo Cardiography Scanning Machine (V2) (Q2)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	19 Lakh (s)	
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	19 Lakh (s)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes	
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes	

Bid Details/बिड विवरण		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Past Performance/विगत प्रदर्शन	30 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies preregistered with GeM)	No	
Estimated Bid Value/अनुमानित बिड मूल्य	6500000	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	
Financial Document Required/वितीय दस्तावेज की आवश्यकता है।	Yes	

## EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	Bank Of Baroda
EMD Amount/ईएमडी राशि	130000

## ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	Bank Of Baroda
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	62

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के

दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी:

DD(A), NEIGRIHMS

Neigrihms, Shillong, Department of Health and Family Welfare, North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS), Ministry of Health and Family Welfare (Deputy Director Admn)

#### Splitting/विभाजन

Bid splitting not applied./बोली विभाजन लागू नहीं किया गया

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
05-07-2024 16:00:00	Online Through GEM representation Window

## **Echo Cardiography Scanning Machine (V2) (1 pieces)**

## Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Types of Probes & Features	Cardiac and Vascular Probes Configuration	TTE Phased Array, TTE Matrix Array, TEE Phased Array, TEE Matrix Array, Linear Probe	
	TTE(Transthoracic) Probe Type	Adult, Pediatric, Neonatal	
	TEE Adult Probe biplane and Multiplane frequency, in MHz	2 to 7.5 MHz (±2), Not Applicable	
	TEE Pediatric Probe Required	Yes, No	
	TEE Pediatric Probe frequency, in MHz	3 to 8 MHz (±2), Not Applicable	
	Linear Probe for linear/ vascular applications required	Yes, No	
	Adult/Pediatric Linear probe frequency in MHz	5 to 14 MHz (±2), 5 to 10MHz (±2), Not Applicable	
	No of Adult TTE Probes Required	1, NA	
	No of Pediatric TTE Probes Required	1, NA	
	No of Neonatal TTE Probes Required	1, NA	
	No of Adult TEE Probes Required	1, NA	
	No of Pediatric TEE Probes Required	1, NA	
	No of Pediatric 3D/4D TEE Probes Required	1, NA	
	No of Neonatal TEE Probes Required	1, NA	
	No of Adult/pediatric Linear Probes supplied	1, NA	
	Dedicated 3D/4D volume imaging for cardiology TTE ad TEE	Yes, No	

Specification Name/विशिष्टि का Bid Requirement/बिंड के लिए आवश्य प्रवापes)/अनुमत मूल्य		Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Live 3 D imaging in color doppler system	Yes, No
	Colour Doppler system with all application packages ,Quad loop for serial studies with high frame rate revies, harmonic imaging capability in all modes and integrated stress echo package digital storage and retrieval	Yes, No
	Provision of Tissue Colorization (B-Colour) for improved contrast resolution	Yes, No
	Application software	Adult, Pediatric, Neonatal, Vascular applications and Transesophagal applications
	Cine Loop Features	Yes, No
	Frame grabber facility for post analysis	Yes, No
	Facility of Various maps for pre and post processing	Yes, No
ECG trigger facility		Yes, No
	User defined Preset	Yes, No
	Dedicated integrated dynamic stress echo package for flexible user defined protocols with stacked sub loops facility and contrast stress protocol usable for stress echocardiography	Yes, No
	Number of transducer/probe ports	1, 2, 3, 4
Scan Modes and Performance Parameters	Cardiac 3-D freehand Option	Yes, No
i arameters	Cardiac 3D/4D automatic Option	Yes, No
	Contrast Harmonic/Agent Imaging with angio mode	Yes, No
	Color Doppler 3-D/4-D option	Yes, No
	Power Dopple 3-D/4-D option	Yes, No
	Contrast-enhanced ultrasound (CEUS) option	Yes, No

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Tissue synchronization, tissue velocity	Yes, No	
	Cardiac Shear wave elastography	Yes, No	
	Cardiac compression elastography	Yes, No	
	Provision for higher sensitivity for low frequency doppler in all probes	Yes, No	
	Latest generation Electronic Phased/sector array Colour Doppler system	Yes	
	Number of Channels in color doppler system	50000 or more (if channels are being designated as digital channels), 500000 or more (if channels are being designated as digital channels), 5000000 or more (if channels are being designated as digital channels), 128 or more (if channels are being designated as physical channels)	
	System should be capable of generating real time live 3- D images	Yes, No, Yes with MV No Analysis	
Image display and	DICOM 3 Compliant	Yes, No	
processing	Automated B-mode (2-D) image	Yes, No	
	Automated CDI image optimization	Yes, No	
	Automated PW Doppler image optimization	Yes, No	
	Touch Screen	Yes, No	
	Monitor display size, cm (in)	12 $lnch(\pm 1)$ , 15 $lnch(\pm 1)$ , 19 $lnch(\pm 1)$ , 21 $lnch(\pm 1)$ Or higher	
	Split screen	Twin View, Twin View and Live Quad Screen	
	Single/dual monitors	Single, Single with optional second console, Dual (image display on touch panel)	
	Speckle-tracking strain and strain rate	Yes, No	
	Analysis and calculation packages	2-D wall motion tracking, 3-D wall motion tracking, Cardiac, Mitral valve analysis, User-programmable calculations, No	
	Type of printer provided with the echo cardio machine	Themal Printer, B/W Laser Printer, Color Laser Printer	
	Type of processor in PC	i7 or Latest, NA	

Specification Name/विशिष्टि का नाम		Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Conectivity between Echo cardiogram and PC	Through IMS/Equivalent Software, NA	
	PC with all software inclusive interfaced with echocardiograph machine	Yes, NA	
	Inkjet printer provided with computer for reporting	Yes, No	
	Glossy Colour Print Paper supplied	500 sheets, 1000 sheets, Not provided	
	ECG Cable	2, NA	
	Echo cardiography sytem to be DICOM Ready	Yes, No	
	Dicom Interfacability to HIS	Yes, No	
Dicom Interfacability Dicom to PACS  Interfacability Dicom to RIS		Yes, No	
		Yes, No	

## Additional Specification Parameters - Echo Cardiography Scanning Machine (V2) ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
Detail technical specification attached at Buyer uploaded Bid Specific ATC	Detail technical specification attached at Buyer uploaded Bid Specific ATC/ Mentioned Below will supersede the above mention specification & compliance has to be upload considering the Specification attached at Buyer Added Bid Specific ATC, failing which bid will not consider for further evaluation.	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Khrawkupar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	90

## **Buyback Detail**

Item Name	Echocardiography system
Item Description	Echocardiography system (Esaote ) vide order no - NEIGR/S&P/OT-894/2012-13, dated : 19/03/2013. SI no 5611/03946
Serial No.	5611/03946
Model	MY lab 60
Brand	Esaote
Year of Manufacturing	2011
Purchase On	2013-03-19
Age	
Size	n
Rating	
Quantity	1
Unit	no
Remark	- The buyback value should essentially cover the Minimum Reserve Declared Value.as considered in File no:- NEIGR/S&P/C-01/2022-23 Considered vide Agenda C-08/63
Uploaded Image	View Uploaded Image
Disclaimer/अस्वीकरण	

#### Disclaimer/अस्वीकरण

The vendor will be responsible for the un-installation of Buyback items.

# Special terms and conditions-Version:1 effective from 15-04-2024 for category Echo Cardiography Scanning Machine (V2)

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  - 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
  - 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the

- validity and authenticity of Medical Device license held by them.
- 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
- 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
- 6. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- 7. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- 8. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- 10. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date

of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

- 11. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- 12. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
- 13. **Software:** All software updates should be provided free of cost during warranty period.

## Buyer Added Bid Specific Terms and Conditions/क्रत द्वार

जोडी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

File no:- NEIGR/S&P/C-01/2022-23

Considered vide Agenda C-08/63

## Scope of work & Document details

Following mandatory documents must be attached in the bid document as specified, failing which bid will be treated as"
Non-Responsive"

1	Cost of spares, consumables and accessories not covered under war ranty and CMC period shall be offered as percentage value of the sy stem/Unit in the Technical Bid <b>Additional Doc1</b> ( <b>Requested in AT C</b> )"
2	Documents with regard to Details compliance statement to be attached At "Additional Doc  2(Requested in ATC)"
3	Documents with regard to Original Literature, Product catalogue ,Te chnical datasheet from the firm/O.E.M with Highlighting as per the t echnical specification must attach At "Additional Doc 3(Request ed in ATC)"
4	Documents with regard to list of Offering/Quoted items mentioning make, model & quantity of each items must be "Additional Doc 4(Requested in ATC)"
5	Component wise pricing of all equipment /accessories /Consumables etc ,
	must be submitted in the "Financial Document" .Not in technical Bid, which will be fixed for warranty & CMC period
	Any Detail price bid/Component wise pricing should not be attached in the technical bid, failing which bid will be consider as " <b>Techno Commerci</b> "
	ally Non Responsive "
В	Warranty and Maintenance
<b>B</b>	
	Warranty and Maintenance  Warranty for 5 years followed by CMC for 5 years including Spares
	Warranty and Maintenance  Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied  in this particular tender including third-party items and turnkey work
	Warranty and Maintenance  Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied  in this particular tender including third-party items and turnkey work s.  Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the  Bidder/manufacturer throughout the warranty & CMC period at site.i. e. NEIGRIHMS, SHILLONG.
	Warranty and Maintenance  Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied  in this particular tender including third-party items and turnkey work s.  Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the  Bidder/manufacturer throughout the warranty & CMC period at site.i.
1 2	Warranty and Maintenance  Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied  in this particular tender including third-party items and turnkey work s.  Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the  Bidder/manufacturer throughout the warranty & CMC period at site.i. e. NEIGRIHMS, SHILLONG.

11 / 23

SI. N	Description of Stores Make	Qty.	Minimum Reserve Decla red Value
1.	Echocardiography system (Esaote ) vide order no - NEIGR/S&P/OT-894/2012-13, dated : 19/03/2013. SI no 5611/03946	1 nos	Rs 2,25,750
	Note:  - The buyback value should essentially colue	over the Minim	um Reserve Declared Va

\_

## **B.Buyer Added Bid Specific Terms and Conditions**

#### 1. Generic

**End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, sam e shall be provided in Buyer's standard format only.

## 2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organ ization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 3. Generic

IT equipment shall be IPv6 ready from day one.

#### 4. Generic

Installation, Commissioning, Testing, Configuration, Training (As applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorized Reseller.

#### 5. Generic

**Upload Manufacturer authorization:** Wherever Authorized Distributors are submitting the bid, Manufacturers Authorization Form (MAF)/Certificate with OEM details such as name, designation, a ddress, e-mail Id and Phone No. required to be furnished along with the bid.

#### 6. Generic

The successful bidder has to supply all essential accessories required for the successful installation a nd commissioning of the goods supplied. Besides standard accessories as per normal industry practic e, following accessories must be part of supply and cost should be included in bid price: All the item s and accessories as per Technical Specification.

#### 7. Generic

The Buyer has an existing set up / inventory of similar products. The offered / supplied product must be compatible with existing system. The bidder has to ensure Compatibility of the supplied items or s hall have to include in the supply the necessary hardware / software to make them compatible at no extra cost to the buyer. The details of items with which compatibility is required are as under: all the spares Including UPS, PC, battery, Printer, Probes & upgradation of System Software & third party So ftware

#### 8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissionin g of Goods ,Training of operators and providing Statutory Clearances required (if any)

#### 9. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant p eriods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover det ails for the relevant period shall be uploaded with the bid. In case the date of constitution / incorpor ation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 10. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sh eets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In c ase of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value sh ould meet this criterion.

#### 11. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 12. Purchase Preference (Centre)

As per DPIIT notification at the time of e-tender, bidding or solicitation the bids shall be required to indicate percentage of local content and provide self-certification (by Director/ Compa

ny Secretary) and also give details of the location/s at which value addition is made". Since the bidder here is not the local supplier, the same was required to be obtained from the "Class-I local supplier /Class II local supplier"

Further the details of Calculations of local content areas under:

Question 1. How to calculate Local Content?

Answer: Para 2 of the PPP-MII Order, 2017 (as amended on 16.09.2020) defines local content as

Local content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

Mathematically,

Local content = (Sale price - Value of imported content) \* 100/ Sale price

Where, "Sale price" means price excluding net domestic indirect taxes and "Value of imported content" means price of imported content inclusive of all customs duties

Question2. How to calculate Local Content in bids involving supply of multiple items from sing le bidder?

Answer: In case of bids requiring supply of multiple items (say "X1", "X2" and "X3") by a sing le bidder, the local content in the bid shall be

Local content = ((Sale price of "X1" - Value of imported content in "X1") + (Sale price of "X2" - Value of imported content in "X2") + (Sale price of "X3" - Value of imported content in "X3")) \* 100/ (Sale price of "X1" + Sale price of "X2" + Sale price of "X3")

#### 13. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of ea ch Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after su bmission of documentary evidence of having Functional Service Centre.

#### 14. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 15. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Nu mbers for Service Support.

#### 16. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 17. Certificates

The bidder or the OEM of the offered products must have BIS/WHO-GMP/ CDSCO Indian certification or alternate certification as recognized by Government of India

#### 18. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Bu yer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 19. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, ty pe test certificate, approval certificates and other certificates as prescribed in the Product Specific ation given in the bid document.

#### 20. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports o n the date of bid opening (to be uploaded with bid): All the quality & electrical safety certificates .

## 21. Warranty

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 5% of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the pay ment for the CMC charges would be made Biannually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of all the spares Including UPS, PC, battery, Printer, Probes & upgradation of System Software & third party Software (U pload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 5% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).

#### 22. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, T

raining, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 23. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope all the spares Including UPS, PC, bat tery ,Printer ,Probes & upgradation of System Software & third party Software (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder under taking)

### 24. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

#### 25. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the de fects / service requirement during warranty period, Seller has to complete the required Service / Rect ification within 3 days' time limit. If the Seller fails to complete service / rectification with defined tim e limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of del ay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a ri ght to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty ca nnot exceed more than 10% of the total contract value after which the Buyer shall have the right to g et the service / rectification done from alternate sources at the risk and cost of the Seller besides forf eiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

#### 26. Past Project Experience

For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that suppl

- ies against the invoices have been executed.b. Execution certificate by client with order value.
- c. Any other document in support of order execution like Third Party Inspection release note, etc.

#### 27. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and i nstallation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or

(iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product havin g highest bid value should meet this criterion

#### 28. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of NEIGRIHMS EMD S ECURITY DEPOSITS payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA . Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within Bid End date & time / Bid Opening date & time.

#### 29. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the nam e of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be r eleased in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within Bi d End date & time / Bid Opening date & time.

#### 30. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of NEIGRIHMS EMD SECURITY DEPO SITS payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA . Bidder has to upload scanned c opy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within within Bid End date & time / Bid Opening date & time.

#### 31. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Benefici ary name NEIGRIHMS EMD SECURITY DEPOSITS Account No. 30270200000027 IFSC Code BARBOM AWDIA Bank Name BANK OF BARODA Branch address MAWDIANGDIANG, SHILLONG-793018, MEG HALAYA . Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on- line transfer. Bidder has to upload scanned copy / proof of the Online Payment T ransfer along with bid.

#### 32. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of NEIGRIHMS EM D SECURITY DEPOSITS payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 33. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (be sides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of NEI GRIHMS EMD SECURITY DEPOSITS A/C (Name of the Seller). The bank should certify on it that the de posit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Securi ty Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of original FDR to the Buyer within 15 days of award of contract.

#### 34. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name NEIGRIHMS EMD SECURITY DEPOSITS Account No. 30270200000027 IFSC Code BA RB0MAWDIA Bank Name BANK OF BARODA Branch address MAWDIANGDIANG, SHILLONG-793018, M EGHALAYA. Successful Bidder to indicate Contract number and name of Seller entity in the transacti on details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

29. RELATIONSHIP CERTIFICATE in Bidder,s letter Head with detail Declaration must be submitted in the following format

12 / 17

"It is certified that I/We, the undersigned, do(With	n Detail name & details )/o	do not have relationship
with any of the employees working at NEIGRIHMS	$oldsymbol{i}$ . The above statement is	true and is submitted a
gainst the Gem Tender Enquiry No	Dated	,
Date:		
(Signature) Name of the Company/Firm Seal		

### (C) 30.Additional Terms and conditions & Scope of Work for CMC

Tenderer/Vendors/contractor should note that the following terms and conditions will apply specifically in addition to the Rules and the Regulation as applicable to such provide services in the Government of India.

- Comprehensive Annual Maintenance Contract must include Labour, spares & Preventive M aintenance of all the excluding of battery, Accessories/Consumables
   The terms and conditions of the tender and the agreement executed will be binding on th
- 2. The terms and conditions of the tender and the agreement executed will be binding on the evendor/contractor. This offer is being issued in accordance with the terms & conditions of NEIGRIHMS /Government of India and in the manner specified herein shall operate to creat e a specific contract between the vendor/contractor (with whom the contract referred to) on one part and NEIGRIHMS, Shillong, on the other part.
- The required spares to be replace must be genuine and certified from the OEM.
- 4. Repairs to be undertaken should be within specified configuration and maintaining t he integration on internal circuit of equipment, any deviation on configuration/ specifica tion the repair will not be acceptable. After repairs, a certificate to the effect that the equipment is in working order and safe for patient care and non-hazardous for the handler shall be submitted by the CMC holder.
  - 5. Tenderer/Vendors/contractor is responsible to provide electrical and patient safety certific

ate after major repair of equipment which are used for direct patient care.

- **6.** The system must be checked & calibrated after every spare changes and detail service re port must be submitted to the user & BME.
- **7.** 2 nos of Periodic preventive maintenance is mandatory irrespective of unlimited service /breakdown calls.
- **8.** Same /Similar Standby system must be provided by the bidder if the system needs to sen d to workshop for any major repair.
- 9. Receipt of this offer may be acknowledged and a copy duly signed/stamped by the authorized signatory should be submitted before finalization of the agreement.
- 10. The Performance security shall be denominated in any one of the forms namely Account P ayee Demand Draft or Fixed Deposit Receipt drawn from any nationalized bank in India or B ank Guarantee issued by a nationalized bank in India, pledge in favor of Deputy Director, N EIGRIHMS, and Shillong-793018 for an amount equivalent to 3% of the total cost of annual CMC. The validity of the Fixed Deposit receipt or Bank Guarantee will be upto 2 months bey ond CMC period.
- 11. It may also be noted that there should be no negligence in providing services of an y type, if any, complaint is received the contract will be terminated with immediate effect.
  - **12.** There will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period. The vendor shall ensure optimum uptime of the system during CMC period, failing which the initiate shall init iate stern action, as deemed fit.
  - **13.** During Comprehensive Maintenance Contract period, the supplier shall visit at each consi gnee's site for preventive maintenance including testing and calibration as per the manufac turer's service/ technical/ operational manual. The supplier shall visit each consignee site a s recommended in the manufacturer's manual, but at least once in 6 months commencing f rom the date of the successful completion of warranty period for preventive maintenance o f the goods.
  - **14.** Processing of bill may be considered on yearly basis with satisfactory report from the user department. The AMC/CMC bills should be certified by the concerned Head of the Department/ In- Charge , BME and the respective DMS/MS.
  - **15.** Software updates should be provided free of cost during CMC. The first service call by the team of service engineers should be within 7 days of issue of this order.
  - **16.** Settlement of disputes Director, NEIGRIHMS or his authorized representative shall be the final authority in all disputes and decision will be binding on all concerned.
  - 17. All other terms & conditions are as per award of contract mentioned in pre-page.
  - **18.** Bidders are required to sign the CMC contract agreement within 15 (fifteen) days from the issue of the letter of award/supply order, failing which EMD/security deposit may be for feited or Contract declared null and void.

Detail technical specification attached at Buyer uploaded Bid Specific ATC/ Mentioned Below w ill supersede the above mention specification & compliance has to be upload considering the Specification attached at Buyer Added Bid Specific ATC, failing which bid will not consider for further evaluation.

	2D Echocardiography system
1	The system must be latest generation technologically advanced Digital 2 D Echocardiography system for Transthoracic adult, pediatrics, and neon atal applications and upgradeable to fetal echo.
2	System must be offered with a minimum of 4 million or more digital proc essed channels. A technical data sheet should be enclosed in technical bi d to support the number of channels on the systems.

3	System must be offered with a very high dynamic range of at least 280d B to pick up subtle echoes.
4	System must be offered with a minimum 21 inch High Resolution Flat Pa nel Medical Grade Display monitor with nearly infinite position adjustmen ts.
5	System should have at-least four Imaging universal active probe ports wi th electronic switching facility from keyboard without probe adapter.
6	Operating modes B-mode, M-Mode, B/M Mode, Doppler Mode, and Colour flow, Power Doppler, DCA/DPA, Contrast Imaging, B/Colour flow, PW Doppler, CW Doppler.
8	B mode & B colour simultaneous should be available side by side real ti me display of B-Mode & Colour flow. Digital zoom facility for region of int erest in real time and frozen images.
9	Image storage facility on in build hard disc or MOD/CD/DVD-RW facility s hould be available. In built hard disk with minimum capacity of 500 GB. S ystem should have extensive image management capability including th umb nail review, Cineloop editing etc.
10	Cine loop as well as cine scroll facility in B mode with storage of 2000 or more images should be available. Cineloop frames should also be available for abdominal contrast applications
11	System must be offered with Speckle Reduction Imaging: Image processi ng technique to remove speckles and clutter artifacts.
12	Advanced measurements & calculation package for vascular and cardiac should be available.
13	System should be capable of scanning depth of 40cms. Scanning Depth should be clearly mentioned in the technical quote If not mentioned Please attach a letter from manufacturer along with the technical bid cle arly stating the scanning depth of 40cms in the offered system.
14	System must be offered with an 2D frame rate of at least 1900 frames/se cond. Acquisition frame rate should be clearly mentioned in the technical quote If not mentioned.
15	System must be offered with 8 TGC slide pot
16	System must be offered with minimum 12-inch-high resolution user inter face touch panel and dual view facility. The user should be able to view t he scanned image on the touchscreen while the main display is tilted tow ards the patient

- System should have THI & should be able to work in combined mode of h armonic imaging and real time compound imaging to get excellent imag e quality. The system shall offer Tissue Harmonic Imaging in Power Dopp ler imaging mode for improved sensitivity and specificity in differentiatin g blood/agent from tissue.
- The system should have Contrast Harmonic Imaging and should have opt imization settings to detect the Contrast Agents. Please specify other ad vanced Technologies to perform better Contrast Harmonic Imaging.

#### 19 **2D Quantification Tools:**

- a) Should provide region of interest analysis for contrast imaging, tissue analysis and color Doppler.
- b) Automated measurements of intima media thickness in carotids and o ther superficial vessels.
- c) Automated global and segmental longitudinal strain measurement.
- d) Strain quantification for measuring the myocardial velocity from Color Tissue Doppler (TDI) datasets and derive the displacement, strain and s train rate along user-defined M-Lines and overlay opening and closing of aortic and mitral valves on SQ curves to display Left Ve0ntricle mechanic al events.
- e) The system should have tools to automatically draw region of interest based on the selected anatomical view, and generates LV Ejection Fracti on (EF), End Systolic Volume (ESV) and End Diastolic Volume (EDV). It should also provide

an in-depth report displaying areas, volumes and advanced parameters f or LV systolic and diastolic function including: LV Ejection Fraction (EF), P eak Ejection Rate (PER), Peak Rapid Filling Rate (PRFR) and Atrial Filling Fraction (AFF).

## **Cardiac Motion Quantification:**

The system should automatically draw a region of interest based on the selected anatomical view, providing an angle- independent analysis of re gional myocardial-tissue velocity, displacement, strain, and strain rate, u sing the speckle-tracking technology. It should generate measurements of the global and regional functions and reports them in a table, a 17 or 1 8- segment bull's eye. It should additionally compute LV Ejection Fraction (EF), End Systolic Volume (ESV) and End Diastolic Volume (EDV).

### 20 System must be supply with following probes

A Phased array 1–5 MHz (±1MHz) broadband adult Echo Transducer Matrix/ Single Crystal for 2D Echo-cardiography with Bi- plane imaging to acquir e two simultaneous views for increased throughput. Must have Tissue Ha rmonic Imaging, must attach original technical data sheet of transducer t o specify the above technology used in the transducer.-2 no

В	3-8 MHz(±1MHz) Paediatric Echo Transducer for Paediatric and small ad ult Cardiology imaging. Must have Tissue Harmonic Imaging, must have smaller footprint than the adult echo transducer. Must attach original tec hnical data sheet of transducer to specify the above technology used in the transducer.
С	Transoesophageal 2D transducer operating frequency range Electrocaut ery suppression with Speckle Reduction, harmonic imaging, M-mode, col or M-mode, color flow, PW Doppler, CW Doppler suitable patients >2.5Kg and Paediatric TEE application.
21. <b>Sy</b>	stem should be supplied with the following peripheral devices:
А	2 KVA ONLINE UPS.
В	Thermal Printer
. (Wi	he below requirement must be quoted separately as field upgrade ll be considered for technical evaluation Not considered for L1 derivation)
a	4–12 MHz neonatal Echo Transducer for Paediatric and small adult Cardio logy imaging. Must have Tissue Harmonic Imaging, must have broadban d technology for excellent Image quality. Must have smaller footprint than the pediatrics echo transducer. Must attach original technical data she et of transducer to specify the above technology used in the transducer.
23 a)	<b>Mandatory certifications</b> : US FDA/CE/CDSCO/BIS/ISO Self-declaration GFR 144 xi

## 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms &

Conditions, in contravention to exemption provided to such sellers under GeM GTC.

- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब यह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---