



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/4146551
Dated/दिनांक : 31-10-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-11-2023 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-11-2023 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health And Family Welfare
Organisation Name/संगठन का नाम	North Eastern Indira Gandhi Regional Institute Of Health And Medical Sciences (neigrhms)
Office Name/कार्यालय का नाम	Neigrhms, Shillong
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	Plethysmography (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	18 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	18 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	30 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Comprehensive Maintenance Charges Required	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	Bank Of Baroda
EMD Amount/ईएमडी राशि	120000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	Bank Of Baroda
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	62

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन

जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

NEIGRIHMS

Neigrihms, Shillong, Department of Health and Family Welfare, North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS), Ministry of Health and Family Welfare
(Emd And Security Account)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make in India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local

content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Cost of additional spares accessories consumables to be quoted separately - [1698647766.xlsx](#)

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
10-11-2023 16:00:00	NEIGRIHMS, Mawdiangdiang, Shillong or through VC Date and time to be confirmed

Plethysmography (1 set)

(Minimum 50% and 25% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
--	--------------------------

Comprehensive Maintenance	
Warranty of required product	5 Year

Comprehensive Maintenance

Comprehensive Maintenance Duration (Post Warranty)

5 Year

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

6. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

7. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

9. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

10. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

11. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

12. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

13. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

14. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

15. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

16. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

to be notified

Post Receipt Inspection at consignee site before acceptance of stores:

to be notified

17. Inspection

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

18. Warranty

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 5 % of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would be made Biannually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of

as per quoted

(Upload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 5% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).

19. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

20. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

F.N. NEIGR/S&P/P -05/2020 -21

-

Body Plethysmography with whole body air displacement technology to assess body composition

(Thoracic Gas volume) and Airway resistance with minimal patient effort & real time display of curves

- Latest Ultrasonic Flow Sensor technology for Flow Measurement, which is easy to disassemble & clean along with portable IOS/FOT outside cabin connected with same software with following spirometry measurements: SVC, FVC, MVV
- Static lung volume measurements: FRC, ERV, RV, TLC, VC, IC.
- Airway Resistance: real-time display of curve and full editing capabilities for sR_{eff} , sR_{tot} , $sR_{0.5}$ and
- Determination of R_{eff} , R_{tot} , $R_{0.5}$, etc.
- CO-Diffusion Single Breathe with continuous, high speed gas analysis for calculation of DLCO, VA, KCO, TLC, FRC, RV and trapped gas evaluation.
- CO Diffusion Intra-breathe or Equivalent Alternative diffusion method with a non-breath hold manoeuvre with continuous, high speed gas analysis for calculation of DLCO, VA, KCO, TLC, FRC, RV.
- Must have facility for spirometry with airway resistance/reactance analysis during tidal breathing including differentiation between central and peripheral airway resistance, with
- Portable Impulse Oscillometry/FOT device outside the cabin for use in pediatric and elderly patients with less compliance.
- Device should be portable to carry out test beside bed side or outside field for camp purpose.
- MIP/MEP Maximum Inspiratory and Expiratory pressures for measuring respiratory muscle
- P0.1 to easily measure tidal breathing respiratory drive.
- A wide cabin with internal volume range of ≥ 900 liters to provide ease of accessibility and comfort to the patient without effecting volume changes.
- Comfortable height with Low entry step
- Adjustable height chair/fixed bench with maximal load of 150kg or above
- Patient door handle inside-to support patients with claustrophobia
- Built-in compensation chamber for quick artifact reduction
- 3D-adjustable Ultrasonic sensor inside cabin for excellent patient fitting
- In built diffusion unit inside the cabin for an ultra-fast accurate multi gas analyzer for CO and CH₄/Helium.
- Facility to measure multi breathe FRC using Nitrogen Wash out technique
- Facility to measure Rhinomanometry to measure nasal pressure (SNIP)
- Must have integrated automated, software-controlled nebulizer for accurate and safe bronchial provocation testing also inside the cabin through inbuilt dosimeter.
- R_{occ} for easy and fast determination of occlusion resistance with just one single shutter manoeuvres during door opened.
- Gas sampling close to the mouth via thin sample line.
- Inhalation of the gas via built-in demand valve for minimum gas consumption.
- A wide cabin with internal volume range of ≥ 900 liters to provide ease of accessibility and comfort to the patient without effecting volume changes.
- Comfortable height and Low entry step
- Height adjustable chair/fixed bench with maximal load of 150kg or above
- Patient door handle inside-to support patients with claustrophobia

- Built-in compensation chamber for quick artifact reduction
- 3D-adjustable Ultrasonic sensor inside cabin for excellent patient fitting
- In built diffusion unit inside the cabin for an ultra-fast accurate multi gas analyzer for CO₂ and CH₄/Helium.
- Gas sampling close to the mouth via thin sample line.
- Inhalation of the gas via built-in demand valve for minimum gas consumption.
- Airway pressure monitoring during the complete maneuver for full quality control
- Integrated loudspeaker
- Full test procedures should be able to complete in less than 4-5 minutes.
- Should be able to view the last 4-5s Raw loops with automatic slope (BTPS) compensation.
- Guidance and patient animation for stable Raw and tidal breathing including view of breathing frequency.
- Should be able to perform combined slow/forced spirometry maneuver or separated maneuver.
- Different animation incentive to perform Forced Spirometry.
- Should be able to review Comprehensive results with clear, easy to read, logical screens, assisting
- Tools like Z-score, ULN-LLN classification bar for obstruction and restriction, automated interpretation to improve clinical outcome.
- Should have Single-click overlay functionality of all trials for resistance and FRC curve to check reproducibility and quality.
- Resistance/Volume loop for the quick diagnostic.
- Comprehensive setting possibilities (axis scaling, resting/painting mode, number of loops, tangents for sReff, sRtot..., ERV or IRV maneuver etc.)
- Standard breathe-holding maneuver with all test gases sampled at the mouth, from the start to the end of the test.
- Discard and sample volumes should be able to modify to test with smallest vital capacity subject and any volume of dead space.
- Should have facility to perform Single Breath Diffusion as per ATS/ERS Guidelines to hold breath for 10 sec.
 - Should have mode to perform Diffusion Test without holding breathe for patients who are unable to hold breathe, or system should have facility to minimize breathe hold time.
 - Should have a training mode so that the patient, coached by the operator can practice a test with room air.
- Impulse Oscillometry/Forced Oscillometry (FOT) suitable for measurement of lung dysfunction in
 - Pediatrics (4 years onwards), Adults & Geriatric patients. Should work on same software platform along with Body-plethysmography & Diffusion. Should be portable in size with weight not more than 3 kg.
 - Should be able to do the diagnosis in young children, severe, Geriatric neuromuscular patients.
 - Should be able to do spontaneous Resting Breathing with passive co-operation of patient as well as routine spirometry.

- The unit must Sensitive and Differentiated determination of PROXIMAL & DISTAL Pulmonary obstruction.
- Should have dedicated frequency for Pediatrics due to lung anatomy.
- Must be able to diagnose bronchial instabilities in patients of COPD/Asthma.
- Should be able to predict reversibility conditions using Tidal breath analysis(Tidal flow-volume)
- Should be able to diagnose the followings: Airway Resistance, Respiratory resistance and compliance.
- Report should be customized and following parameters should be able to come in single report with Pre and Post Test.
- Resistance Parameters : R5, R20, R5-20; Reactance : X5, AX; Other : Fres, VT, Pre and Post % Predicted, Predicted Values
- Should be supplied with calibration test load.
- Should have separate prediction equation for Adult & Pediatric which are published in international journal.
- Should have facility to design report as per user. Must show different frequency for Resistance and Reactance in single page along with % change in pre and post
 - Device should be portable in size so that if required can be hand carried to perform test at bedside of patient or outside on field for medical camps. Should not weight more than 5kg.
 - Flow measurement-UltrasonicRange+16L/sAccuracy2+%
 - Resistance<0.05KPa/(Ls)at16L/s
 - He/CH4 Analyzer: Ultrasound
 - CO Analyzer: NDIR
 - Oscillometric Frequency range: 5-37 Hz for Adult, 7-41Hz for Pediatric
 - Automatic calibration should be done for Box calibration and Gas Calibration
 - Should be free from any Volume Calibration
 - Static lung volumes: VT, ERV, IRV, IC, IVC, EVC, VC, VO2 maxetc.
 - Dynamic lung volumes:FEV1,FVC,FEV1/IVC%,FEV1/VC/Max%FEF75,FEF50,FEF25,PEF,FIV1,PIF,MIF50etc.
 - Report Designer for modification of an existing report or generate a new one i.e., layout, graphs, parameters, style, font size and color are free configurable.
 - System should have all latest reference values including GLI2017 as well as India
 - Reference values for Spirometry, Diffusion and Body plethysmography and oscillometric data.
 - System should have complete test according ATS/ERS standards incl.ATS/ERS repeat ability criteria.
 - The complete unit should be European CE or USFD Approved or equivalent as per Government of India Public procurement order dated 15th June2017.
 - Comfortable-sized body cabin with Ultrasonic sensor and shutter.
 - Built-in fast diffusion multi gas analyzer CO/CH4-Heliumanddemandvalve.
 - Impulse Oscillometric (IOS)/Forced Oscillometric (FOT) technique outside the cabin.

- Compact trolley with height adjustable work surface, preferably from same manufacturer (local trolley not acceptable)
- microphone
- System box with integrated isolation transformer.
- Standard Accessories Kit Including Disposable Nose Clip-100 and 500 Disposable Bacteria Filters for
- Body box/Diffusion & 500 Disposable Bacteria Filters for iOS/FOT must be provided.
- Diffusion Gas Cylinder: 2no's
- High Flow pressure reducer for diffusion gas: 1no
- Laptop, inkjet printer and TFT monitor, latest version of Original Window 10
- Microsoft office Original and DVD writer at least 04 USB port
- With digital display for direct volume displacement
- Data storage capacity with software
- Installed by company personnel
- Robust after sale service
- 5 years comprehensive warranty and 5 years CMC

Additional Terms and Conditions:

1. Scope of work & Document details: A Following mandatory documents must be attached in the bid document as specified, failing which bid will be treated as " Non-Responsive"
2. Cost of spares, consumables and accessories not covered under warranty and CMC period shall be offered as percentage value of the system/Unit in the Technical Bid ATC1/2
3. Documents with regard to Details compliance statement to be attached at "Additional Doc
4. (Requested in ATC)" Documents with regard to Original Literature, Product catalogue, Technical datasheet from the firm/O.E.M with Highlighting as per the technical specification must attach At "Additional Doc
5. (Requested in ATC)" Documents with regard to list of Offering/Quoted items mentioning make, model & quantity of each items must be "Additional Doc 4(Requested in ATC)"
6. Should be ISO/ ISI/ BIS/ BIFMA /CDSCO /CE -FDA approved products or otherwise indicated in the technical specification.
7. The items should meet all the numerical values given in the technical specifications within a tolerance of +/- 5%)
8. Bidders /Vendors have to supply 5% additional nuts, bolts, castor wheels, locks, keys, handles spring, PVC brackets and accessories within the cost offered.
9. Bidder should give a written declaration that no other accessories /spares are required for the offered item /stores apart from the quoted items /list.
10. The cost of accessories /spares not covered in warranty shall have to be offered in the ATC and cost to be offered in percentage (*against the item quoted*) of the Basic Cost (*excluding GST*)
11. Furnitures with 5 years warranty (with turnkey works, if any) will be taken for the purpose of price evaluation.
12. Ministry of Finance, PPD division, Public Procurement Order OM No: F.No.6/18/2019-PPD; dated 23rd July ,2020, inserting Rule 144(xi) in GFR 2017 ,No 1 dated: 23/7/2020 and subsequent Orders No 2 & 3 or as amended from time to time , failing which the bids shall be treated as non-responsive.

13. Comprehensive Warranty:

- a) The supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (*except when the design adopted and / or the material used are as per the purchaser's specifications*) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.
- b) This warranty shall remain valid for five (5) years after the goods or any portion hereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the purchaser in terms of the contract, unless specified otherwise.
 - No conditional warranty like mishandling, manufacturing defects etc. will be acceptable.
 - Warranty as well as Comprehensive Maintenance Contract will be inclusive of all accessories /spares and Turnkey work including
 - Replacement and repair will be under taken for the defective goods.
 - Proper marking has to be made for all spares for identification like printing of installation and repair dates.
- c) In case of any claim arising out of this warranty, the purchaser/consignee shall promptly notify the same in writing to the supplier.
- d) Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the bidder/manufacturer throughout the warranty period at site. i.e. NEIGRIHMS, SHILLONG
- e) Upon receipt of such notice, the supplier shall, within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis, repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such replaced parts/goods thereafter.
- f) In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/replaced goods shall be extended from the date such rectified / replaced goods starts functioning to the satisfaction of the purchaser.
- g) If the supplier, having been notified, fails to rectify/replace the defect(s) within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.
- h) The supplier along with its Indian Agent shall ensure continued supply of the spare parts for the machines and equipments supplied by them to the purchaser for 10 years after the expiry of Warrantee period.
- i) The Supplier along with its Indian Agent shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/Purchasers of its equipments/machines/goods etc. and shall always give the most competitive price for its machines/equipments supplied to the Purchaser.

During maintenance & warranty period the bidder's technical representative, shall attend to the machine / equipment within 48 hours and ensure uptime on immediate basis and shall ensure presence at NEIGRIHMS for 24 hours, after uptime is ensured.

Annual Comprehensive Maintenance Contract (CMC) of subject equipment with Turnkey:

- a) The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual of the manufacturer, labour and spares, after satisfactory completion of Warranty period may be quoted for next 5 years on a yearly basis for complete equipment (including all spares for UPS, other vacuumatic parts, Stabilizers....) and Turnkey (if any). The supplier shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, but at least once in six months during the CMC period
- b) The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
- c) Cost of CMC will be added for Ranking/Evaluation purpose.
- d) The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by end user on receipt of bank guarantee for 10 % of the CMC value as per Section XV valid till 2 months after expiry of entire CMC period. The same will be taken at Net Present Value with a 10% discounting factor each year
- e) There will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- f) During CMC period, the supplier is required to visit at each consignee's site at least once in 6 months commencing from the date of the successful completion of warranty period for preventive maintenance of the goods.
- g) All software updates should be provided free of cost during CMC.
- h) Failure of the above [4. e) to 4. g)] by the supplier, may lead to the forfeiture of the Bank Guarantee for Annual CMC.
- i) The payment of CMC will be made as stipulated in GCC Clause 21.
- j) In case, the company /manufacturer wants take the goods for repair, outside of the Institute, a standby system of similar type has to be provided by the company /manufacturer.

Turnkey:

The Tenderer shall examine the existing site where the equipment is to be installed, in consultation with HOD of Hospital/Institution/consignee concerned. Turnkey details of are given at the end of Technical Specification. The Tenderers to quote prices indicating break-up of prices of the Machine and Turnkey Job for Hospital/Institution/consignee concerned. The Turnkey costs may be quoted in Indian Rupee will be added for Ranking Purpose.

The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later.

The Turnkey Work should completely comply with AERB requirement, if any.

Details of turnkey Work (to be furnished by Hospitals/ Institutes/ Medical College)

CIVIL WORK : As per installation requirement

ELECTRICAL WORK : As per installation requirement

AIR CONDITIONING WORK : As per installation requirement

EXISTING SITE DRAWING : As per installation requirement

PROPOSED TURNKEY SITE DRAWING _____: As per installation requirement

FURNITURE : As per installation requirement

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

Additional Clause For Comprehensive Maintenance Charges

- 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months or as per user requirement. Cost of consumables shall not be included in CMC.Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- 2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.
- 3.GST shall be included in the CMC Charges quoted.
- 4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula.A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on Net Present Value.
- 5.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.
- 6.While creating a bid or RA, buyers shall indicate whether CMC is required against Yes/No" options. If CMC Charges are included, an option for number of years for CMC required after the warranty period shall be available.Under this option up to 10 years can be chosen for CMC charges beyond warranty period.
- 7.In case the bid has a provision for CMC, the warranty of the product will also be deemed to have been converted into Comprehensive warranty including preventive maintenance and calibration as per technical/

service /operational manual of the manufacturer, service charges and spares, during the Warranty Period also. Sellers are therefore advised to include the cost of Comprehensive Warranty including spares (excluding consumables) also in product Cost.

8.The CMC functionality shall be available in bid only and no direct RA shall be applicable.In case of bid to R/A decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.

8.1.Buyer shall indicate number of years of warranty by selecting different options available in the field depending on warranty parameter applicable in category parameters for the equipment. No. of years of warranty indicated here shall supersede the warranty period indicated elsewhere in bid or product specifications. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable, if 5 year CMC selected:

- CMC charges for 1st year after warranty period- Percentage to be indicated- A1
- CMC charges for 2nd year after warranty period- Percentage to be indicated- A2
- CMC charges for 3rd year after warranty period – Percentage to be indicated- A3
- CMC charges for 4th year after warranty period – Percentage to be indicated- A4
- CMC charges for 5th year after warranty period – Percentage to be indicated- A5

Similarly, A6 to A10 are to be indicated for 6th to 10th year of CMC if applicable.

8.2.The calculation of CMC Charges shall take into account the number of years of warranty and duration of CMC as specified while creating bid.

8.3.In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se-ranking of the bidders. The following are the variables

- (i) Number of years for which CMC required.
- (ii) Number of years of product warranty

The formula for calculating total cost including CMC charges shall be as under:

Total Cost for evaluation=

$C + C * \{ (A1/100)/(1.10^n) + (A2/100)/(1.10^{n+1}) + (A3/100)/(1.10^{n+2}) + (A4/100)/(1.10^{n+3}) + (A5/100)/(1.10^{n+4}) \}$ and so on

C – Cost for equipment quoted and n shall be number of years of product warranty specified.

If 2 year warranty specified, n shall be 2 and if 5 year warranty specified, n shall be 5. A1,A2, A3, A4& A5 shall depend on how many years CMC selected. For 3 year CMC, only A1,A2 and A3 factors are to be taken into account and A4 and A5 will not be applicable.

8.4.CMC charges offered for each subsequent year should be same or higher than preceding year.

8.5.The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

9.Since CMC charges are to be paid only later for each year during CMC period,applicable performance guarantee amount after placement of contract shall be based on the cost of equipment excluding the cost of CMC Charges.

10.Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable between 2.5% to 10% as specified in bid on total CMC Charges.The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification.Bank guarantee for CMC is to remain valid till completion of CMC period plus one year. The bank guarantee for CMC shall be submitted to buyer directly. In case, seller fails to submit the PBG or does not provide services for the CMC contract after expiry of warranty period then PBG of equipment shall be forfeited.

11.In case of splitting of order quantity, equipment cost and CMC charges offered by L1 bidder shall be matched by higher quoting eligible bidders on one-to-one basis.The equipment cost and CMC charges (year to year) shall be matched individually.

12.The CMC Contract shall be an offline contract to be handled by buyer.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

13.CMC Charges are inclusive of all the charges for Transportation, Lodging, Boarding, all insurances including third party insurance and all other incidental charges. The same shall include GST. The prices also include cost of spares and damaged parts. Purchaser does not have any liability, whatsoever, over and above the cost of CMC. It also includes for arranging hand tools & tackles, special tools etc. required to carry out the work.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---