



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/2999942
Dated/दिनांक : 18-01-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	30-01-2023 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	30-01-2023 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health And Family Welfare
Organisation Name/संगठन का नाम	North Eastern Indira Gandhi Regional Institute Of Health And Medical Sciences (neigrihms)
Office Name/कार्यालय का नाम	Neigrihms, Shillong
Total Quantity/कुल मात्रा	14
Item Category/मद केटेगरी	minus 20 degree C Deep Freezer Horizontal , Microwave Oven , Laboratory Refrigerator plus 2 degree C to plus 8 degree C , Laboratory Benchtop Centrifuge , Rotary Shaker , Digital Room Temperature and Humidity measuring Thermometer , Digital Multi Thermometer
BOQ Title/बीओक्यू शीर्षक	VRDL Instr
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	3 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover	Yes

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	minus 20 degree C Deep Freezer Horizontal
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Estimated Bid Value/अनुमानित बिड मूल्य	505000
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required	No
----------	----

ePBG Detail/ईपीबीजी विवरण

Required	No
----------	----

Splitting/विभाजन

Bid splitting not applied.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	46000	Minus 20 Degree C Deep Freezer Horizontal	1
Schedule 2	46000	Microwave Oven	1
Schedule 3	46000	Laboratory Refrigerator Plus 2 Degree C To Plus 8 Degree C	1
Schedule 4	46000	Laboratory Benchtop Centrifuge	1
Schedule 5	46000	Rotary Shaker	1
Schedule 6	150000	Digital Room Temperature And Humidity Measuring Thermometer	5
Schedule 7	125000	Digital Multi Thermometer	4

Minus 20 Degree C Deep Freezer Horizontal

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Microwave Oven

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Laboratory Refrigerator Plus 2 Degree C To Plus 8 Degree C

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Laboratory Benchtop Centrifuge

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Rotary Shaker

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Digital Room Temperature And Humidity Measuring Thermometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	5	60

Digital Multi Thermometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Khrawkumar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	4	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Authorised Service Centre within the state of Odisha, along with a dedicated contact person with telephone number for technical solution in a fast track basis at this institution as and when required basis.
2. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
3. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
4. Make in india specific authorisation certificate needs to be enclosed.
5. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Generic**

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

7. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

8. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

9. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

10. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

LIST OF EQUIPMENTS FOR STATE LEVEL VRDL, Microbiology Dept

Sr. No	Name of Equipment	Quantity
1	-20°C Deep Freezer (Horizontal)	1 No.
2	Microwave Oven	1 No.

3	Laboratory Refrigerator (+2°C to +8°C)	1 No.
4	Laboratory Benchtop Centrifuge	1 No.
5	Rotary Shaker	1 No.
6	Digital Room Temperature & Humidity measuring Thermometer	5 Nos.
7	Digital Multi Thermometer	4 Nos.

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

Specification of Equipments for the State Level VRDL, Dept of Microbiology

1. -20°C Deep Freezer (Horizontal)

Technical Specifications:

- Gross Capacity of the refrigerator should be ~500-600 litres (double door)
- Refrigerant used should be CFC free
- Digital display with temperature resolution of 0.1°C
- Alarm system in case of low/high temperature & power failure
- Door with handle, gasket for leak proof and sub door provided for each compartments
- Wheels for easy movement/transportation
- Adjustable levelling feet standard
- Power supply: 210-240V/50-60 Hz fitted with Indian plug

Standard and safety:

Ø Comprehensive training for laboratory staff and support services till familiarity

with the system.

- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 5 years warranty from the date of installation and thereafter CMC till 10yrs after ending of the warranty period.

Ø **Documentation:**

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Certificate of calibration and inspection from factory.
- Ø List of Equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.
- Ø List of important spare parts and accessories with their part number and costing.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the User's list in Government set-ups, especially in the North- East Region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

2. Microwave Oven

Technical Specifications:

- **Gross Capacity should be ~28 litre**
- **Convection Type product**
- **Convection Heater Quartz**
- **Power supply: 210-240V/50-60 Hz fitted with Indian plug**
- **Convection Temperature 40 ~ 200 °C**
- **User friendly that includes easy to operate**

Standard and safety:

- Ø Comprehensive training for laboratory staff and support services till familiarity

with the system.

- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 2 years warranty from the date of installation and thereafter CMC till 10yrs after ending of the warranty period.

Ø **Documentation:**

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Routine maintenance support as per manufacturer's documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist.
- Ø List of important spare parts and accessories with their part number and costing.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

-

-

3. Laboratory Refrigerator (+2°C to +8°C)

Technical Specifications:

- **Gross Capacity should be 300 to 400 litres**
- **Should have temperature range from +2°C to +8°C.**
- **Refrigerant used should be CFC free**
- **Digital display showing temperature of the freezer**
- **Alarm system in case of Low/high temperature, power failure**
- **Self closing door with key door lock**

- **Adjustable levelling feet standard**
- **Power supply: 210-240V/50-60 Hz fitted with Indian plug**

Standard and safety:

- Ø Comprehensive training for laboratory staff and support services till familiarity with the system.
- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 2 years warranty from the date of installation and thereafter CMC till 10yrs after ending of the warranty period.

Documentation:

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Routine maintenance support as per manufacturer's documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist.
- Ø List of important spare parts and accessories with their part number and costing.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

-
-

4. Laboratory Benchtop Centrifuge

Technical Specifications:

- **Centrifuge should be capable of generating 4,000 - 6000 rpm.**
- **Should be provided with rotor for Vacutainer, test tubes and falcon tubes (5-15 mL).**
- **System should have safety features like lid lock and lid interlock.**

- **System should have large LCD/LED display for good visibility of RPM with provision of timer.**
- **Noise level should be less than 60 db.**
- **Power supply: 210-240V/50-60 Hz fitted with Indian plug.**

Standard and safety:

- Ø Comprehensive training for lab staff and support services till familiarity with the system.
- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 5 years warranty from the date of installation and thereafter CMC till 10yrs after ending of the warranty period.

Documentation:

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Certificate of calibration and inspection from factory.
- Ø List of Equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.
- Ø List of important spare parts and accessories with their part number and costing.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

-

5. Rotary Shaker

Technical Specifications:

- **Should be capable of generating rotation speed up to 200 rpm.**

- **Should be safe for using at 0°C to 4°C.**
- **System should have timer settings allowing the user to set desired timing.**
- **System should have large LCD/LED display for good visibility of RPM and timing.**
- **Noise level should be less than 60 db.**
- **Power supply: 210-240V/50-60 Hz fitted with Indian plug.**

Standard and safety:

- Ø Comprehensive training for lab staff and support services till familiarity with the system.
- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 2 years warranty from the date of installation and thereafter CMC till 10yrs after ending of the warranty period.

Documentation:

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Certificate of calibration and inspection from factory.
- Ø List of Equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.
- Ø List of important spare parts and accessories with their part number and costing.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

-

6. Digital Room Temperature & Humidity measuring Thermometer

Technical Specifications:

- √ **Should be able to give room temperature reading ranging from 0°C to 60°C.**
- √ **Should be able to give room humidity reading ranging from 0% to 100%.**
- √ **Temperature accuracy should be $\pm 0.5^{\circ}\text{C}$.**
- √ **Humidity accuracy should be $\pm 1-2\%$.**

Standard and safety:

- Ø Comprehensive Training for lab staff and support services till familiarity with the system.
- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 1 years warranty from the date of installation

Documentation:

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Certificate of calibration and inspection from factory.
- Ø List of Equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East Region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

7. Digital Multi Thermometer

Technical Specifications:

- √ **Should be able to give measurement of freezer ranging from -30°C to +50°C.**
- √ **Should have separate temperature sensor which can be fitted inside the freezer**
- √ **Temperature accuracy should be $\pm 0.5^{\circ}\text{C}$.**

Standard and safety:

- Ø Comprehensive Training for lab staff and support services till familiarity with the system.
- Ø The equipment should have CE, ISO or equivalent compliant certification.
- Ø 1 years warranty from the date of installation

Documentation:

- Ø User / Technical / Maintenance manual to be supplied.
- Ø Certificate of calibration and inspection from factory.
- Ø List of Equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual.
- Ø Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.

There should be technical support and after sale engineering service provision from the Responder. It is necessary to furnish the Users' list in Government set-ups, especially in the North- East Region of India. Certificate of proven satisfactory performance is to be accompanied along with terms & conditions and service agreement of the Responders.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---