

in Marktestplätze

Bid/RA/PBP No.: GEM/2022/B/2292938

OT/G/BB-979/2022-23, dt: 01/12/2022

P-02/2022-23/pt 3.

Designation: Stores and Procurement Officer
Contact No.: 0364-2539032-213
Email ID: harendra_dey@nic.in
GSTIN: N
Address: P.O. NEIGRIHMS, Mawdiangdiang, Shillong,
EAST KHASI HILLS, MEGHALAYA-793018, India

Payment Mode: Offline
Designation: A Accounts officer
Email ID: accounts.neigrihms@nic.in
GSTIN: N
Address: P.O. NEIGRIHMS, Mawdiangdiang, Shillong,
KHASI HILLS EAST, MEGHALAYA-793018, India

C - 432/2022-23, dt: 17/04/2022

Reminders for
Supply
Installation &
Rolling
Supply

Product Details

3 740 500

3,740,600

S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: con18.neigrihms.mil@gembuyer.in Contact: 0364-2538044- GSTIN: - Address: P.O. NEIGRIHMS, Mawdlangdiang, Shillong, EAST KHASI HILLS, MEGHALAYA-793018, India	LEICA automatic microtome	-	1	01-Dec-2022	01-Mar-2023

Value

Conformity to Certification

① 2x Wonders ② 3x Wonders ③ 1x Wonders
④ 1x Wonders ⑤ 1x Wonders ⑥ 1x Wonders
⑦ 1x Wonders ⑧ 1x Wonders ⑨ 1x Wonders
⑩ 1x Wonders ⑪ 1x Wonders ⑫ 1x Wonders
⑬ 1x Wonders ⑭ 1x Wonders ⑮ 1x Wonders
⑯ 1x Wonders ⑰ 1x Wonders ⑱ 1x Wonders
⑲ 1x Wonders ⑳ 1x Wonders ㉑ 1x Wonders
㉒ 1x Wonders ㉓ 1x Wonders ㉔ 1x Wonders
㉕ 1x Wonders ㉖ 1x Wonders ㉗ 1x Wonders
㉘ 1x Wonders ㉙ 1x Wonders ㉚ 1x Wonders
㉛ 1x Wonders ㉜ 1x Wonders ㉝ 1x Wonders
㉞ 1x Wonders ㉟ 1x Wonders ㊱ 1x Wonders
㊲ 1x Wonders ㊳ 1x Wonders ㊴ 1x Wonders
㊵ 1x Wonders ㊶ 1x Wonders ㊷ 1x Wonders
㊸ 1x Wonders ㊹ 1x Wonders ㊺ 1x Wonders
㊻ 1x Wonders ㊼ 1x Wonders ㊽ 1x Wonders
㊾ 1x Wonders ㊿ 1x Wonders

Standards	Certification number and date	EN 61010-2-101:2017 07.10.2017
	Confirmity to Manufactures Certification	ISO 9001 & ISO 13485
Performance Parameters	Type of instrument	Freestanding cryostat with encapsulated, splash-proof rotary microtome
	type of microtome sectioning	automatic microtome
	Provision of heavy duty rotatory microtome bearing	Yes
	Material of microtome bearing	SS
	Provision for sectioning of all types of frozen tissues	Yes
	operation of microtome coarse feed	Slow: 500-600 & Fast: 800-900
	Max Specimen size	55 X 55 mm
	Section cutting via hand wheel	both manual and motorized automatic
	Provision of hand wheel lock	1 mechanical & 1 electronic via emergency brake
	Micrometers stepper motor feed in ensures precise and high quality thin sections	Yes
	Closed drainage system to allow controlled disposal of fluids	Yes
	Facility of trimming	Yes
	Chamber illumination light	bright white light
	Chamber brightness shall be adjustable	Yes
	Chamber cooling temperature in degree celcius	minus 35 \pm 5 degree
	Provision of integrated peltier fast freezing device	Yes
	specimen cooling temperature in degree celcius in peltier element cooling area	minus 45 \pm 5 degree
	Number of Inbuilt cryobar storage positions	15
	Number of Inbuilt cryobar storage quick freeze positions	1
	Section thickness range in μ m	"1 to 100 1.0 μ m - 5.0 μ m in 0.5 μ m steps 5.0 μ m - 20.0 μ m in 1.0 μ m steps 20.0 μ m - 60.0 μ m in 5.0 μ m steps 60.0 μ m - 100.0 μ m in 10.0 μ m steps"
	Trimming thickness range in μ m	"5 to 100 1.0 μ m - 10.0 μ m in 1.0 μ m steps 10.0 μ m - 20.0 μ m in 2.0 μ m steps 20.0 μ m - 50.0 μ m in 5.0 μ m steps 50.0 μ m - 100.0 μ m in 10.0 μ m steps"
	Vertical stroke length in mm	60 mm \pm 2
	Provision of automatic specimen retraction on return stroke	Yes
	Horizontal feed range	26 \pm 2
	Specimen orientation should be 8 deg XY direction with 360 z axis rotation	Yes
	Automatic and manual chamber defrost facility should be available with one automatic defrost cycle / 24 hours	Yes
	Duration of the defrost cycle in minutes	12
	Blade holder with finger guard to assure user safety	Yes
	Provision of universal blade holder for high and low profile disposable blades	Yes
	Provision of Inbuilt UV certified disinfection	Yes
	Manual disinfection facility should be available	Yes
	Power supply	230 V , 50Hz single phase
Standards Accessories	pkt of disposable blades	2
	freezing medium 120ml bottle	2
	Chucks	8
Additional Accessories	Provision of UPS	Yes
	Backup time in hours	1
	Operating temperature range and Relative humidity;	18°C to 35°C and max. 60%, non-condensing
	Ag protect nano silver coating limits bacterial growth on external surfaces reduces risks towards infections or suitable anti bacterial coating	Yes
	Warranty in years	5
	Installation, commissioning, training of instrument at user site	Yes
	Availability of test report from govt/ NABL/ILAC accredited lab covering all	Yes

Miscellaneous Parameters	Test report number, date and address of lab , Incase test reports not available , put NA	NA
	Number of installations of the machine in central / State/ PSU hospitals (Note: sellers should supply a performance certificate of the device to the buyer if demanded after placement of order)	More than 3
	User technical manual to be supplied in English in hard and soft copy	Yes
	The Principal Manufacturer must have direct presence service centre in India	Yes
	Demonstration of equipment and training to be provided after completing supplies and installation before acceptance	Yes
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies ,	Yes

Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Buyer Defined Additional Specification for LEICA automatic microtome

Specification	Value
Cryostat- Open top heated sliding window, corrosion proof, stainless steel cryo chamber with good Fluorescent illumination.	Cryostat- Open top heated sliding window, corrosion proof, stainless steel cryo chamber with good Fluorescent illumination.
Temperature of cryo chamber should be maintained within $\pm 2^{\circ}\text{C}$ of set temperature and maintained by hermetically sealed compressor system.	Temperature of cryo chamber should be maintained within $\pm 2^{\circ}\text{C}$ of set temperature and maintained by hermetically sealed compressor system.
Microprocessor/Microcontroller based touch key control panel with LCD display for all functions including microtome. Facility for both 360 $^{\circ}$ rotation	Microprocessor/Microcontroller based touch key control panel with LCD display for all functions including microtome
Space for other specimen rack minimum 6 blocks. Removable section waste tray .Facility for both 360 $^{\circ}$ rotation.Section thickness cutting 1-60 micrometer	Space for other specimen rack minimum 6 blocks.Removable section waste tray .Facility for both 360 $^{\circ}$ rotation.Section thickness cutting 1-60 micrometer
High and Low profile blades-20 pieces each,Specimen holder of appropriate size- 20 Nos.Freezing compound at least- 1200 ml	High and Low profile blades-20 pieces each,Specimen holder of appropriate size- 20 Nos.Freezing compound at least- 1200 ml

Corrigendum

1. Extended Upto : 2022-07-15 14:00:00
2. Extended Upto : 2022-07-18 14:00:00
3. Extended Upto : 2022-07-19 14:00:00
4. Extended Upto : 2022-07-21 14:00:00

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 03-09-2020

1.1 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months, warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.

3.2 Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.3 Generic:

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3.4 Generic:

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

3.5 Generic:

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.6 Generic:

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3.7 Generic:

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

3.8 Generic:

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

3.9 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3.10 Turnover:

Bidder Turn Over Criteria: The minimum turnover annual financial turnover of the bidder during the last three years ending on 31st March 2023 shall be as follows:

20

Signature

Signature

previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3.11 Purchase Preference (Centre):

Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017

3.12 Purchase Preference (Centre):

Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyam Registration / Udyog Aadhaar (as validated by Government from time to time) for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.

3.13 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 20% of total value.

3.14 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Scope of work & Document details: Buy Back F No NEIGR/S&P/P-02/2022-23/Pt 3

A Following mandatory documents must be attached in the bid document as specified

,failing which bid will be treated as" Non-Responsive"

Cost of spares, consumables and accessories not covered under warranty and CMC period shall be offered as percentage value of the system/Unit in the Technical Bid ATC1/2

1

2 Documents with regard to Details compliance statement to be attached At "Additional Doc

2(Requested in ATC)"

3 Documents with regard to Original Literature, Product catalogue ,Technical datasheet from the firm/O.E.M with Highlighting as per the technical specification must attach At "Additional Doc 3(Requested in ATC)"

4 Documents with regard to list of Offering/Quoted items mentioning make, model & quantity of each items must be "Additional Doc 4(Requested in ATC)"

B Warranty and Maintenance

1 Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied

in this particular tender including third-party items and turnkey works .

2 Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the

Bidder/manufacturer throughout the warranty & CMC period at site.i.e. NEIGRIHMS, SHILLONG.

3 Duly signed Mandatory PM reports has to be submitted periodically, failing which necessary action

will be initiated as per term& condition of the tender.

C Scope of work

1 The bidder has to mandatorily quote for all the items /stores mentioned in the Technical

Specification & Scope of Work ,failing which bid will be treated as" Non-Responsive"

2 The system is against buy back of one of Cryostat make M/s Slee Mainz Crystal Vide order No. NEIGR/S&P/OT-937/2009-10 dated: 30.3.2010 for which the declared reserve value is Rs 236928.25. The cost in price e-bid offered shall be inclusive of buy back value. The buyback value of the

10

John

Signature

system should also be indicated in the ATC document bid as % of the total Cost of the system in order to arrive at Reserve value(RDV) for the record of the Institute mandatorily and should cover the Minimum RDV of Rs 236928.25. Prices of all accessories (reagents, card controls closed/ open etc) need to be clearly indicated as % of the total price in the technical bid Technical Bid ATC1/2 and will be consider for evaluation as in BOQ or else bid will be treated as "non responsive". The CMC cost offered from 6th to the 10th year to be indicate in ATC 1/2 shall in indicate in percentage inclusive of GST and shall not exceed 5% of the system cost.

Technical Specification for Cryostat

Sl.No	Specification
1	Open top heated sliding window, corrosion proof, stainless steel cryo chamber with good Fluorescent illumination.
2	Cooling via two separate refrigeration system.
3	Temp. of cryo chamber should be at least -30°C
4	Facility for integrated peltier quick specimen freezing upto -45°C
5	Separate cooling should be adjustable upto -50°C
6	Temperature of cryo chamber should be maintained within $\pm 2^\circ\text{C}$ of set temperature and maintained by hermetically sealed compressor system.
7	Automatic programmable defrosting and manual defrosting should also be possible
8	Fully motorized microtome-movement controlled by manual as well as foot switch
9	Microtome should be encapsulated to support efficient spray disinfection
10	Microprocessor/Microcontroller based touch key control panel with LCD display for all functions including microtome
11	Space for other specimen rack minimum 6 blocks
12	Removable section waste tray
13	Section thickness setting must be outside the cryo chamber
14	Disposable blade holder for low and high profile blades and Knife holder which can hold minimum 16cm C type knife
15	Specimen holder can hold specimen size up to 70x50mm
16	Facility for both 360 ° rotation as well as movement in X Y axis
17	Section thickness cutting 1-60 micrometer
18	Specimen retraction around 50 micros
19	Trimming in steps from 5to 150 microns
20	Motorized coarse speed 500 micrometer/sec&1000 micro meter/sec

20

for 20

Signature
01/10/20

21	Cryo cabinet should be of appropriate size
22	Voltage-220-240 V, 50 Hz
23	Essential Accessories should be quoted separately
24	Microtome knife 160mm-4Nos
25	Voltage stabilizer, block holder
26	UPS for the above machine
27	Two bottle of low temperature oil
28	High and Low profile blades-20 pieces each
29	Specimen holder of appropriate size-20 Nos
30	Freezing compound at least- 1200 ml
31	Glass ant-rod device for knives and blades

200

fitman

01/11/20

3.15 Warranty:

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 5 % of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would be made Biannually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of 5 (Upload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 3% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).

3.16 Warranty:

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.17 Warranty:

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

3.18 Warranty:

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

3.19 Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of NEIGRIHMS EMD SECURITY DEPOSITS payable at Shillong. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3.20 Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of NEIGRIHMS EMD SECURITY DEPOSITS payable at Shillong. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3.21 Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / Internet banking in Beneficiary name NEIGRIHMS EMD SECURITY DEPOSITS Account No. 30270200000027 IFSC Code BARB0MAWDIA Bank Name BANK OF BARODA Branch address MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

3.22 Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of NEIGRIHMS EMD SECURITY DEPOSITS payable at Shillong. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

3.23 Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of NEIGRIHMS EMD SECURITY DEPOSITS A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

3.24 Past Project Experience:

For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

- Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
- Execution certificate by client with order value.
- Any other document in support of order execution like Third Party Inspection release note, etc.

3.25 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.26 Certificates:

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

3.27 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

3.28 Certificates:

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): BIS/WHO-GMP/CDSO/DGCI/NABL certified . F. NEIGR/S&P/P-02/22-23/. The buy back value of the system should also be indicated in the ATC document bid as % of the total Cost of the system in order to arrive at Reserve value(RDV) for the record of the Institute mandatorily Pt3.

ADP

Signature

Signature

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Hepp

201

Filman

OT/G/BB-
979/2022-23, dt: 01/12/2022

Sanction of the competent authority is hereby conveyed for incurring an expenditure of amount as under towards the cost of Purchase order/Contract placed on the Seller for Supply of Goods/Services as per the contract for making payment to the Seller subject to deduction of TDS as applicable:

Organisation Details	Buyer Details P-02/2022-23/Pt 3
Type: Central Autonomous Ministry: Ministry of Health and Family Welfare Department: Department of Health and Family Welfare Organisation Name: North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS) Office Name: Neighrims, Shillong	Name: Harendra Dey Designation: Stores and Procurement Officer Email ID: harendra.dey@nic.in GSTIN: N Address: P.O. NEIGRIHMS, Mawdiangdiang, Shillong EAST KHASI HILLS MEGHALAYA - 793018

Financial Approval Detail C-432/2022-23, dt: 17/11/2022
Designation of official providing Administration approval: Director, Head of Dept; P-02/2022-23/Pt 3; Cryostat Microtome; Model: Leica CM1860UV; Make: Leica Biosystem, Germany IFD Concurrence / Competent Authority (HOD / Head of Office) Approval Required? YES Budget availability YES Designation of official providing Financial approval: DD(A) & DDO; C-432/2022-23, Buyback of old Cryostat; Reserve value Rs.236928.25; considered in 62nd Meeting Procurement Committee

Seller Details
Company Name: ARTI ENTERPRISE Email ID: artiwallang@gmail.com Address: ARTI ENTERPRISE east khasi hills MEGHALAYA - 793001

Product Details

#	Item Description	Model	Ordered Quantity	Unit	Price per Unit inclusive of all Duties and Taxes (in INR)	Total Price (inclusive of all Duties and Taxes (in INR))
1	LEICA automatic microtome	Leica CM 1860 UV	1	pieces	3740600.0	3740600.0
Total Order Value (in INR)						3740600.0

Consignee Details

S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Khrawkupar Jithod Katrai con18.neighrims.m@gmail.com P.O. NEIGRIHMS, Mawdiangdiang, Shillong EAST KHASI HILLS MEGHALAYA - 793018	LEICA automatic microtome	-	1	01-Dec-2022	01-Mar-2023

Terms & Conditions

- 1. This issues under the power delegated to Ministries/Department of the Government of India/organization/state vide Annexure to schedule V of the Delegation of Financial Power Rules, 1978 as amended from time to time or as per applicable delegation of financial power rules as approved and amended time to time by the competent authority of the buyer organization.

[Signature]

[Signature]

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Signature

Signature

Signature