

North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences
(An Autonomous Institute, Ministry of Health and Family Welfare, Government of India)
Director's Block, Mawdiangdiang, Shillong 793018 (Meghalaya)

Website: www.neigrihms.gov.in

Tender No: NEIGR/ENGG/114/2022;

Dated 26.04 . , 2023

## **TENDER /BID DOCUMENT**

# LIMITED TENDER ARE INVITED FROM GOVERNMENT REGISTERED CONTRACTOR FOR RENOVATION WORKS (TILES, ALUMINIUM DOORS, ETC) IN THE CASUALTY AREA

Last Date and Time for Submission of Bid Document Offline:	14:00 hours of 11:05-2023 ,
Date and Time of Opening of Techno -Commercial Bids:	14:30 hours of 11:05:2023.
Cost of Earnest Money Deposit (EMD) :	Rs.9620/-

Tender document can be downloaded from the Institute's website at www.neigrihms.gov.in

In the event of the date being declared as a closed holiday, the due date for submission of bids and opening of bids will be the following working day at the appointed time.

Signature of contractor	
Name of contractor	
(In Block Letters)	
Shri/Smti	
Registration No:	
Contact No:	1 1 1

#### DETAILED TENDER NOTICE

Sealed item rate limited tenders in two bid system are invited from registered contractors of PWD/PHE/Estate office (GAD)/MES/MeECL and equivalent class of CPWD for the following work and will be received at the office of the undersigned upto 1400 hrs on \_ will be opened on the same date in the presence of the tenderer(s) or their authorized agent(s) at 1430 hrs.

Estimated cost (Rs) (approx)	EMD (Rs)
Rs. 4,81,000.00/-	Rs.9620/-

#### General Conditions of Contract (GCC):

- The Tender is a Two Bid System. All technical, commercial documents are to be enclosed in Envelope -1 & only the Price Bid 1. is to be enclosed in Envelope -2.
- The Tender Reference No. & name of work is to be mentioned clearly on each envelope. 2.
- Intermixing of envelopes will tantamount to rejection. 3.
- The site is located at Mawdiangdiang 4
- from the date of issue of commencement order.
- EMD to be deposited in the form of FD/Call Deposit to be duly pledged in favour of the Deputy Director (Admn), NEIGRIHMS, 5. 6.
- Contractors shall be deemed to have inspected and examined the site of work and its surroundings before submitting the 7.
- Tenderers will have to submit attested copy of their registration along with a recent passport size photograph duly attested. 8.
- The contractor shall not sub-contract the work to sub-contractors or to any single sub-contractor. An undertaking by the 9 contractor shall have to be submitted to this effect.
- The successful contractor shall provide a performance security for his proper performance of the contract within 7 (seven) days from the date of receipt of letter of award. The performance Security shall be in the form of FD/Call Deposit to be pledged in 10. favour of Deputy Director (Admn), NEIGRIHMS. In case the Performance Security is in the form of Bank Guarantee the same is to be sent to the Deputy Director (Admn), NEIGRIHMS in sealed envelope directly by the issuing Bank along with the forwarding letter indicating BG No. purposed of the BG, etc. The amount of the security shall be 5 % (five percent) of the contract price. The performance security shall be valid until the contractor has executed and completed the works and remedied any defects therein in accordance with the contract. The Performance security shall be returned to the contractor within 14 days from the expiry of the Defect Liability period. If the contractor fails to perform the work as per terms and conditions of the contract, the performance security shall be forfeited.
- If during the execution of the work the contractor encounters physical obstructions or physical conditions other than climatic conditions on the site, which obstructions or conditions were in his reasonable opinion not foreseeable by the contractor, the 11. contractor shall forth with give notice thereof to the Executive Engineer (Civil), NEIGRIHMS. On receipt of such notice, the Executive Engineer (Civil) shall, in his opinion feel that such obstructions/conditions could not have been reasonably foreseen by the contractor, after due consultation with the contractor determine any extension of time with no financial bearing to which
- During the execution of the works, the contractor shall keep the site reasonably free from all unnecessary obstructions and shall store or depose of any contractors equipment and surplus materials and clear from the site any wreckage, rubbish or 12. temporary works in consultation with the Sanitary Supt of the Institute.
- Before issue of any completion certificate, the contractor shall clear away and remove from that part of the site to which the completion certificate relates all contractors' equipment, surplus material, rubbish and temporary works of every kind. 13.
- The contractor while employing labour should ensure that all the statutory labour laws and regulations are adhered to. 14.
- 15. In the event of
  - a. The amount or nature of extra or additional work
  - Exceptionally adverse climatic conditions
  - c. Other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 11 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.

If the contractor fails to complete the execution and completion of the works as specified in the work order and if extension of time is granted if any in accordance with clause 11 and 15 of the GCC, the contractor shall be bound to pay as liquidated Damages a sum of 0.5 % (percent) per week of delay for such default subject to a maximum of 5 % of the contract price.

When whole of the works have been substantially completed, the contractor shall give a notice to the Executive Engineer (Civil) of the Institute, accompanied by a written undertaking to finish with due expedition any outstanding work during the defect Liability period. Such notice and undertaking shall be deemed to be a request by the contractor to the Executive Engineer (Civil) to issue a taking over certificate.

Defect liability period shall be 6 (six) months calculated from the date of completion of the works certified by the Executive

Engineer (Civil) in the completion certificate.

If the contractor fails to fulfill any of the obligations under this contract, the Institute shall be at liberty to terminate the contract 19. thereby voiding the contract and will be at liberty to allot the whole work or balance works to any other party at the risk and cost of the first party.

All works are to be carried out as per current specification prevailing in the state of Meghalaya (MPWD & CPWD) and when

directed by the Institute.

18.

20.

21.

23.

25.

36.

In submitting tender the registered contractor should mention registration number and class with full present address and

should submit attested copy of the registration certificate.

All the relevant documents required to be submitted along with the tender including the EMD should be submitted in the first 22. envelope marked as Envelope I and only the price quoted should be submitted in another envelope marked as Envelope II (form annexed to these conditions)

The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor. Tenders not

submitted in the said format will be rejected.

Every page of the tender paper to be signed by the contractor as a token of acceptance of the terms and conditions before 24. submission of tender, failing which the tender will be rejected.

Average Annual Financial Turnover during the last three years ending 31st March of the previous financial year should be at least 30 % of the estimated cost. Tenderer to submit Financial Statement from Chartered Accountant as per FORMAT - B.

Parties should have the experience of having successfully completed similar works during the last 7 (seven) years ending last 26. day of month previous to the one in which applications are invited should be either of the following.:(a).Three similar completed works costing not less than the amount equal to 40% of the estimated cost or (b) Two similar completed works costing not less than the amount equal to 50 % of the estimated cost or (c) one similar completed work costing not less than the amount equal to 80 % of the estimated cost. Documentary proof in the form of completion certificates only are to be enclosed failing which the tender will be non-responsive.

Completion Certificates are to be signed by Officers not below the rank of Executive Engineers.

- Completion Certificates should indicate the items of works executed along with the date of award of work & time of completion 27. 28. (FORMAT-A) as per work order & actual time of completion
- Running payments can be made to the contractor subject to certification by the Executive Engineer (Civil) after completion of about 50 % of the work and final payment will be paid after completion of the work after due certification and satisfaction of the 29. Executive Engineer (Civil).

Parties to submit PAN Card 30.

Rates once accepted will not be enhanced due to variation in the rate of materials, labour and Government taxes. 31.

No tools and plants will be supplied by the Institute 32.

No materials will be supplied by the Institute. 33.

Contractors should clearly mention the name of work for which they are quoting for in both the Envelopes. 34.

While submitting price bids, contractors should not use correction fluid. Price bids where correction fluid has been used will not 35.

The quoted rates shall be firm ,fixed and binding on the contractor irrespective of any variation in the quantities stated in the

contract upto ± 10 % variation of the contract value as a whole.

Successful Non -Tribal tenderers should submit the valid Trading license within 14 (fourteen) days from the date of issue of 37. preliminary work order.

Any dispute arising out of the contract shall be settled by the Director, NEIGRIHMS.

The specifications and mode of measurement for civil works shall be in accordance with PWD/CPWD specifications unless 38. 39. otherwise specified.

If there is any excess payment on any item etc made to the contractor, the contractor shall not hesitate to cooperate in 40. adjusting / deducting the same from either the running bills or final bills.

The rates written in words shall prevail in case of any variation between the rates mentioned in figure and in words, in

The Institute reserves the right to accept or reject any or all tenders without assigning any reason thereof

All the above requirements are compulsory for fulfillment as part of the tenders failing which tenders will be rejected. 42. 43.

All documents, registrations should be valid as on the date of tender.

- 44. Govt. taxes and duty as applicable will be deducted from the bills of the contractor. 45.
- Parties to submit the list of technical staff with at least one experienced Junior Engineer-Civil (Diploma). Attested copy of diploma/degree certificates to be enclosed. Undertaking in the form of affidavit to be submitted. 46.
- The parties to furnish an affidavit on a non-judicial stamp paper that there is no police/vigilance/CBI case pending against 47.

Tender documents can be downloaded from the Institute's website www.neigrihms.gov.in

- The Party shall be responsible for the safety of all its workmen/employees during the period of execution of the work. The party 48. shall provide all safety materials, gadgets, equipments etc to all its workmen/employees to ensure their safety during execution 49. of the work. The Institute shall not be held responsible in case of any accidents, mishaps etc to the party and its employees
- Any delay in completion of the works beyond the stipulated date due to reasons attributable to the contractor may eventually lead to cancellation of letter of award for which the contractor is not entitled to any compensation. The cancellation of letter of 50. award would lead to forfeiture of performance security.
- The contractor is to register with the Labour Department for the work and the registration certificate has to be submitted, failing 51.
- If any statutory tax/deduction/recovery is notified by the State/Central Govt, the same shall be deducted from the bill of the contractors as applicable from its effective date of coming into force. 52.

Filling of tender forms inside the Institute's premise is strictly prohibited.

- The party who is allotted with the work, will have to sign on the measurement book as a token of acceptance of the 53. 54.
- Tenders sealed with wax; brown tape; etc only will be accepted. Stapled tenders will be rejected. 55.

Sd/ Executive Engineer (Civil) **NEIGRIHMS** 

Copy to: Accounts officer for information

## neck List of documents to be submitted along with the tender:

#### Envelope I

SI No	Documents	Remarks
1	Earnest money Deposit	
2	Copy of registration	
3	Undertaking not to sub-let the work. (format enclosed with the tender)	
4	Valid Trading license in case of non-tribal contractors.	
5	Pan Card.	
6	G S T certificate	
7	Valid Labour License	
8	Completion certificates as per FORMAT – A	
9	Average Annual Financial Turnover during the last three years as per FORMAT - B	
10	Affidavit of no vigilance/police/CBI case pending against them	
11	Tender papers to be signed on all pages	
12	The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor	

Envelope II

Price bid (format enclosed with the tender)

## FORM OF UNDERTAKING

То			
	The Executive Engineer (Civil) NEIGRIHMS		
Sub:			
Sir,		that the seals alted above if	+
work is allotted		ndertake not to sublet the work cited above, if	.3
Date:		Name of contractor:	
		Signature and seal:	

#### FORMAT - A.

1.	Name of Contractor:
2.	Name of work completed:
3.	Agreement No:
4.	Name of Division in which work was executed:
5.	Tender Cost:
6.	Stipulated date of Start (as per w/o):
7.	Stipulated date of Completion (as per w/o):
8.	Actual date of Completion:

#### Signature of Contractor

<sup>\*\*</sup>Signature of Officer issuing the C/Certificate

\*\* (Officer should not be lower than the rank of Executive Engineer – Civil)

### FORMAT B

## FINANCIAL STATEMENT

SL NO	FINANCIAL PERIOD	AMOUNTS IN LAKHS
1.	2019 – 2020	
2.	2020 - 2021	
3.	2021 - 2022	

SIGNATURE OF CONTRACTOR

SIGNATURE OF CHARTERED ACCOUNTANT

## BEFORE THE MAGISTRATE FIRST CLASS IN SHILLONG AFFIDAVIT

	I, Shri	son	of	Shri
	aged about		resident	of
	do hereby solemnly affirm and declare on oath as fo	llows:-		
1.	That I am a bonafide citizen of India and a permanent of the above – mentioned address.			
2.	That I am a registered contractor, with	vide	Reg.	No.
3.	That there is no police / vigilance/ CBI case pending against me/ firm.			
4.	That I have not been blacklisted in the past by any Government or Private Organization.			
5.	That the instant affidavit is sworn in for the purpose of giving a declaration of the aforesaid intents.	facts and for all of	other purpose	e and
6.	That the statements made herein above are true to the best of my knowledge, belief and info	rmation.		
Solemnly		d who is	identified	by
-	Advocate, Shillong on this the		at Shillon	g.
Identified	d by:			
	MAGISTRATE FIRST CLASS SHILLONG			
(Advocat	te. Shillong)			

Price Bid:

To be submitted in Envelope II

Name of the Work: - Renovation works (Tiles, Aluminium Doors.etc) in the Casualty Area

SI	Description	Unit	Quantity		ted by the contractor
10		7731		Rate	Amount
1	Wall painting (two coats) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on new surface to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth.	Sqm	281.53		
2	15 mm thick Cement plaster in single coat on rough side of single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed.  a) In cement mortar 1:3	Sqm	7.92		
3	Providing, fitting and fixing anodised aluminium framed double leaf glazed/laminated doors with anodised aluminium frame made of 100mm x 45mm x 2mm sections with door styles of size 81mm x 45mm x 2mm, top rails 50mm x 45mm x 2mm, lock rails 50 mm x 45mm x 2mm, bottom rails 50mm x 45mm x 2mm fitted with glazing clip, special type rubber gasket complete including hydraulic floor spring, pivot, tower bolt in each leaf, aluminium door handle, lock, angles, cleat etc. complete as specified and directed by the Department at all levels (Glass panes/laminated board included). (a) 5mm clear glass	Sqm	3.60		
4	Providing, fitting and fixing anodised aluminium framed double leaf glazed/laminated doors with anodised aluminium frame made of 100mm x 45mm x 2mm sections with door styles of size 81mm x 45mm x 2mm, top rails 50mm x 45mm x 2mm, lock rails 50 mm x 45mm x 2mm, bottom rails 50mm x 45mm x 2mm fitted with glazing clip, special type rubber gasket complete including hydraulic floor spring, pivot, tower bolt in each leaf, aluminium door handle, lock, angles, cleat etc. complete as specified and directed by the Department at all levels (Glass panes/laminated board included). (f) Nepal Board/ Bhutan Board/ Pre laminated Board	Sqm	3.96		
5	Providing, fitting and fixing coloured anodised aluminium partition walls of standard sections, joints mitred and welded (manufactured to relevant I.S. specification) and providing and fitting angle cleat, rubber gasket, bolting device screws etc. at all levels. (a) 5mm clear glass	Sqm	1.00		
6	Providing, fitting and fixing coloured anodised aluminium partition walls of standard sections, joints mitred and welded (manufactured to relevant I.S. specification) and providing and fitting angle cleat, rubber gasket, bolting device screws etc. at all levels (c) 5mm frosted glass	Sqm	5.52		
7	Providing, fitting and fixing coloured anodised aluminium partition walls of standard sections, joints mitred and welded (manufactured to relevant I.S. specification) and providing and fitting angle cleat, rubber gasket, bolting device screws etc. at all levels (f) Nepal Board/ Bhutan Board/ Pre laminated Board	Sqm	1.10		

Supplying, fitting and fixing in position reinforcement bars upto 1st floor level, conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position **Qntls** 0.520 8 with proper blocks, supports, chairs, spacers etc. complete. (Rates inclusive of all wastage, lappage, hooks, chairs, anchorage etc. and no measurements for the same is required) a) From Primary Sources like TATA/ SAIL/ ESSAR/ JINDAL/ SHYAM/ RINL (i) TMT Corrosion resistant steel (CRS) reinforcement bar Providing form work of ordinary timber planking of thickness not less than 25mm and removal of the same for concrete members so as to give a rough finish including centering, shuttering, strutting and propping etc., for height of propping and centering Sam 3.96 9 of supporting floor to the soffit of the concrete member not exceeding 4.0M as specified for the following items: (g) Vertical surface such as walls (any thickness), parapet walls, partitions, walls of septic tank, inspection pit etc. including attached pilasters, buttresses, plinth and string courses and the like. Providing and laying Concrete in Reinforced Cement Concrete Works using Concrete Mixture Machine with coarse sand & 20mm down graded stone aggregate including dewatering if necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and reinforcement will be measured and paid separately) 0.594 2.5.3 In Columns, pillars, posts, struts, suspended floor, roof, Cum 10 landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase etc. above plinth level upto 1st floor level. (Without using admixture, plasticiser) (a) M15 or Prop. 1:2:4 (For Non-structural Works) Providing two coats of acrylic water based wall putty/ wall filler of Asian Paints/ Berger/ Dulux over concrete/ cement plaster/ brick walls and ceilings both internal and external after removing all 7.92 the loosely adhering material from the wall/ ceiling surface with Sqm 11 the help of emery stone, putty blade or wire brush, moistening the wall with the help of sufficient quantity of clear water as specified and directed by the department. Providing polished ceramic wall tiles of Somany/ Orient/ Nitco/ Qutone make or equivalent of approved quality, size, shape and thickness not less than 8mm on walls and skirting over cement mortar bed 10 mm thick in prop. 1:3 (1 cement : 3 coarse sand ) including cutting where necessary finished with flush pointing Sqm 97.80 12 with Fix-A-Tile (Choksey / Sika / Pidilite / Rouf) or white cement slurry mixed with approved pigment to match shade of tiles complete at all levels as specified and directed. (Cement plastering to be measured and paid separately). 3.26.1 Executive range- 1 (Sizes 200 mm x 300mm and above) (a) Regular Range

. 3		The st			
13	Providing Ceramic Tiles of Somany/ Orient/ Nitco/ Qutone make or equivalent of approved quality, size, shape and thickness not less than 8 mm on floors, skirting, treads and risers of steps over cement mortar bed 15 mm thick in prop. 1:3 (1 cement: 3 coarse sand) including cutting where necessary finished with flush pointing with fix-A Tile Choksey/ Sika/ Pidilite/ Rouf/ White cement slurry mixed with approved pigment to match the shade of tiles, complete at all levels as specified and directed (cement plastering to be measured and paid separately). 3.25.1 Normal range (sizes 300mmx300mm and above) (b) Premium Range	Sqm	153.60		

Name of the Contractor :-

Signature :-