



पूर्वोत्तर इंदिरा गांधी क्षेत्रीय स्वास्थ्य एवं आयुर्विज्ञान संस्थान, शिलांग
NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES, SHILLONG

(भारत सरकार, स्वास्थ्य एवं परिवार कल्याण मंत्रालय, स्वायत्त संस्थान)

(An Autonomous Institute, Ministry of Health and Family Welfare, Government of India)

निदेशक ब्लॉक, मावडीयांगडीयांग, शिलांग - 793018 मेघालय

Director's Block, Mawdiangdiang, Shillong - 793018 Meghalaya

E-mail - info.neigrihms@nic.in

www.neigrihms.gov.in

EPABX : (0364) 2538025

Tel : 0364-2538013/2538010

Fax: 0364-2538003

F. No.

No. NEIGR/ENGG/52/2023

Dated the 2nd June, 2023

NOTICE INVITING QUOTATION

On behalf of the Institute, Sealed quotations for **Civil works in the Obst. and Gynae Department** are invited from registered contractors for the following work up to **12th June 2023 by 2:00 pm** and the same will be opened on the same date and time as per details below:

Sl No	Name of work	Estimated cost	Earnest Money Deposit (EMD)
1	Civil works in the Obst. and Gynae Department	Rs.1,56,000/-	Rs.3120/-

Terms and conditions:

1. NEIGRIHMS reserves the right to accept or reject any or all quotation without assigning any reason thereof.
2. If the contractor fails to complete the execution and completion of the works as specified in the letter of award and if extension of time is not granted, if any, the contractor shall be bound to pay a liquidated damages a sum of 0.5% (percent) per week of delay for such default subject to a maximum of 5% of the contract price.
3. The quotation should be submitted in a sealed cover and superscripted with the name of work addressed to the Executive Engineer (Civil), NEIGRIHMS
4. The rate should be inclusive of all taxes and duties.
5. Water charges @1% shall be recoverd on gross amount of the work done.
6. Performance Security @ 3% if applicable will have to be submitted by the lowest quotationer.
7. The variation in quantity will be within +/- 15%

Interested bidders may submit their quotations as per the price bid format at Annexure - I at the Office of the Undersigned upto **1400 hrs on 12th June 2023**

Executive Engineer (C)

Copy to: 1. Notice Board
2. Office file

Name of the Work: - Civil works in the Obst. and Gynae Department.

Sl No	Description	Unit	Quantity	Rate to be quoted
1	Providing polished ceramic wall tiles of Somany/ Orient/ Nitco/ Qutone make or equivalent of approved quality, size, shape and thickness not less than 8mm on walls and skirting over cement mortar bed 10 mm thick in prop. 1:3 (1 cement : 3 coarse sand) including cutting where necessary finished with flush pointing with Fix-A-Tile (Choksey / Sika / Pidilite / Rouf) or white cement slurry mixed with approved pigment to match shade of tiles complete at all levels as specified and directed. (Cement plastering to be measured and paid separately). 3.26.2 Executive range-2 (Sizes 300mmx450mm and above) (a) Regular Range	Sqm	22.90	
2	Wall painting (two coats) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on new surface to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth.	Sqm	173.31	
3	15 mm thick Cement plaster in single coat on rough side of single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed. a) In cement mortar 1:3	Sqm	22.90	
4	Providing two coats of acrylic water based wall putty/ wall filler of Asian Paints/ Berger/ Dulux over concrete/ cement plaster/ brick walls and ceilings both internal and external after removing all the loosely adhering material from the wall/ ceiling surface with the help of emery stone, putty blade or wire brush, moistening the wall with the help of sufficient quantity of clear water as specified and directed by the department.	Sqm	27.60	
5	Supplying, fitting, fixing M/F Suspended Ceiling with G.I. perimeter channels of size 0.55mm thick (having one flange of 20mm and another flange of 30mm and a web of 27mm) along perimeter of ceiling, screw fixed to brick wall/ partition with the help of nylon sleeves and screws at 610mm c/c; and suspending G.I. intermediate channels of size 45mm (0.9mm thick with two equal flanges of 15mm each) from the soffit at 1220mm c/c with ceiling angle of size 25mm x 10mm x 0.55mm fixed to soffit with G.I. cleat and steel expansion fasteners; Ceiling section of 0.55mm thickness having knurled web of 51.5mm and two equal flanges of 26mm each with lips of 10.5mm are to be fixed to the intermediate channel with the help of connecting clip and in direction perpendicular to the intermediate channel at 457mm c/c; fixing 9.5mm/ 12.5mm tapered edge Gypboard (conforming to IS:2095-1982) to ceiling section with 25mm long drywall screws at 230mm c/c. and boards to be joined by filling and finishing the tapered and square edges of the boards with jointing compound, joint paper tape and two coats of drywall topcoat suitable for Gypboard so as to have a flush look and painting where necessary (one coat primer and two coats of paint) complete at all levels as specified and directed. (For light fittings, providing opening for doors, window, ventilators, etc. cut out made with frame of perimeter channel supported suitably to be measured and paid separately where necessary). (b) 12.5mm thick	Sqm	32.00	
6	Providing vitreous China wash basin with CI/MS brackets, C.P brass chain with plug, PVC waste pipe including painting of fittings and brackets, cutting and making good the walls wherever required. (Pillar cock, stop cocks, waste coupling are to be paid separately) 34.13.1 BASIN (PEDESTAL TYPE) (a) White. (i) Normal.	Each	1.00	
7	Providing, fitting and fixing Chrome Plated waste coupling complete as directed and specified	Each	1.00	
8	Supplying fitting and fixing Chrome Plated (C.P.) sink cock of approved brand as directed and specified. (G.I. & C.P pipes will be measured and paid separately) (a) Normal	Each	1.00	
9	Supplying, fitting and fixing C.P. pillar cock 15mm dia as directed. (a) Normal Type	Each	1.00	

10	Providing fitting and fixing vitreous china pedestal type water closet (European type W.C pan 400mm high) with seat and lead, CP brass hinges and rubber buffers, CI/MS brackets, 40 mm dia flush band with fittings including painting of fittings and brackets, required. (Flushing Cistern to be paid separately). (a) White,(i) Normal	Each	1.00		
11	Supplying, fitting and fixing PVC flushing cistern with all internal fittings with CI brackets including fitting and fixing standard size CP flush pipe, union clamps etc. compete as directed and specified (pipes will be measured separately. (a) White,(i) Normal	Each	1.00		
12	Providing fitting and fixing Mirror with plastic frame of size 500x400mm complete as directed and specified.	Each	1.00		
13	Cement concrete works in topping 1:1:2 (1cement : 1sand : 2 graded aggregates on R.C.C floor, tread and rise of steps finished with a floating coat of neat cement using cement slurry for bond @ 2.75 kg.of cement per sq. m. of floor (base concrete to be measured and paid separately) to be laid in panels including curing complete as directed. (b) 20 mm thick	Sqm	4.05		
14	Providing Ceramic Tiles of Somany/ Orient/ Nitco/ Qutone make or equivalent of approved quality, size, shape and thickness not less than 8 mm on floors, skirting, treads and risers of steps over cement mortar bed 15 mm thick in prop. 1:3 (1 cement : 3 coarse sand) including cutting where necessary finished with flush pointing with fix-A Tile Choksey/ Sika/ Pidilite/ Rouf/ White cement slurry mixed with approved pigment to match the shade of tiles, complete at all levels as specified and directed (cement plastering to be measured and paid separately). 3.25.1 Normal range (sizes 300mmx300mm and above) (b) Premium Range	Sqm	4.05		

Signature of Contractor